

Certificate Of Analysis



Client:
Dialed Research

Laboratory:

Liquilabs s.r.o.
Ohradní 24B
14000 Michle
Czechia
www.liquilabs.cz

Accredited Testing Laboratory
ISO/IEC 17025:2017
ČIA Reg. No. 1437

Sample Identification

Sample Name	5-Amino-1MQ 10mg	Batch Number	546024	Date Published	2026-07-20 09:14
-------------	------------------	--------------	--------	----------------	------------------

Results for 5-Amino-1MQ 10 mg

Analysis of Peptide Identity, Content and Purity	Result Unit	Reporting Uncertainty Limit
5-Amino-1MQ Assay Small Molecule Screening	10.48 mg	[± 0.11]
5-Amino-1MQ Identification by RT Small Molecule Screening	0.998	[± 0.004]
5-Amino-1MQ Identification by spectrum Small Molecule Screening	997	[± 10]
5-Amino-1MQ Purity Small Molecule Screening	99.762 %	[± 0.18]

Responsibles

A handwritten signature in black ink, appearing to read 'Galbavy', is written over a light blue horizontal line.

Mr. Ján Galbavý
Founder/Manager

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of Liquilabs s.r.o.