

# Certificate Of Analysis

**Client:**  
**Dialed Research**

**Laboratory:**

Liquilabs s.r.o.  
Ohradní 24B  
14000 Michle  
Czechia  
[www.liquilabs.cz](http://www.liquilabs.cz)

Accredited Testing Laboratory  
ISO/IEC 17025:2017  
ČIA Reg. No. 1437

## Sample Identification

|             |                  |              |        |                |                  |
|-------------|------------------|--------------|--------|----------------|------------------|
| Sample Name | Semaglutide 10mg | Batch Number | 876958 | Date Published | 2026-07-22 11:03 |
|-------------|------------------|--------------|--------|----------------|------------------|

## Results for Semaglutide 10 mg

| Analysis of Peptide Identity,<br>Content and Purity            | Result Unit | Reporting<br>Uncertainty Limit |
|----------------------------------------------------------------|-------------|--------------------------------|
| Semaglutide Assay<br>Peptide Screening                         | 10.61 mg    | [± 0.11]                       |
| Semaglutide Identification by RT<br>Peptide Screening          | 0.998       | [± 0.005]                      |
| Semaglutide Identification by<br>spectrum<br>Peptide Screening | 997         | [± 12]                         |
| Semaglutide Purity<br>Peptide Screening                        | 99.638 %    | [± 0.20]                       |

## Responsibles



Mr. Ján Galbavý  
Founder/Manager

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of Liquilabs s.r.o.